Cuff Pressure Gauges **Cuff Manometer** – Analog Cuff Pressure Gauge



The use of VBM Cuff Pressure Gauges in combination with High Volume Low Pressure Cuffs can reduce micro-aspiration and prevent VAP from occurring in the first place.

The devices reduce the risk of pressure necrosis and mucosal ischemia. They help preventing the risk of aspiration which can lead to the possibility of pneumonia.

The analog system with no dependence on any energy source makes the VBM cuff pressure gauges highly reliable under any circumstances (outdoor, transport, OR). The accuracy of the display as well as the pre-defined pressure ranges help users to maintain the correct pressure with any kind of airway devices.

Feature



Green Range

The green ranges on the scale mark the ideal ranges for either tracheal tubes or laryngeal tubes.



Release Valve & Hook

- Pressure increase due to the diffusion of anesthetic gases can be adjusted with the red release valve
- Hook fits into standard rail



Luer Connection

For connection to the tracheal tube allowing pressure measuring and regulation.



Vacuum Valve

For connection to the tracheal tube allowing a complete deflation of the cuff by squeezing the inflation bulb.

Cuff Pressure Gauges Cuff Manometer – Analog Cuff Pressure Gauge

Order information



Analog Cuff Pressure Gauge, complete with connecting tube (100 cm)



Accessorie

Connecting Tube for single use, Material: PVC

Length	REF	Box
100 cm	54-05-112	10
200 cm	54-05-113	10



References

Sultan, P. et al. "Endotracheal tube cuff pressure monitoring: a review of the evidence." J Perioper Pract. 2011 Nov;21(11):379-86. Review.

Bernhard, M. et al. Prehospital airway management using the laryngeal tube, Der Anaesthesist 63.7 (2014): 589-596.

Cuff Pressure Gauges **AG Cuffill** – Digital Cuff Pressure Syringe

AG Cuffill is the only device capable of simultaneous control of volume and pressure. It is very light and easy to use whilst providing high accuracy of cuff pressure measurement. The compact size makes it very convenient for pre-hospital environment. It allows control and adjustment of pressure for all cuffed airway devices. It is especially beneficiary for low volume cuffs such as pediatric tracheal tubes.

Features







Digital display

For ease of use and to enhance accuracy of measurement.

Measuring Cuff Pressure

When the plunger is in closed position the specific sensor technology allows cuff pressure measurement with no dead space. Indication of pressure will change during breathing cycle.

Adjusting Cuff Pressure

Immediate cuff pressure measurement and requested adjustment are made with one single hand as soon as the plunger is in motion.

Minimal Storage Space

With the small dimensions (13 x 3 x 2 cm) the AG Cuffill requires very little storage space. Therefore it is ideal for emergency bags and vehicles, helicopters, doctors' coats and emergency cabinets.

Order information

AG Cuffill

Electronics is limited to 100 measurements, with automatic countdown function

REF 59-10-100 Box 10